

SNAP PAC Learning Center

Features

- Complete package of fully functional Opto 22 hardware and software
- Full, step-by-step assembly and configuration instructions
- Nine-lesson, self-guided tutorial
- FREE technical support and pre-sales engineering

Description

The SNAP PAC Learning Center delivers a complete package for learning, demonstrating, and examining the capabilities of the powerful and versatile SNAP PAC system.

Not just a sample, the SNAP PAC Learning Center includes the field-proven, real hardware and software used by Opto 22 customers all over the world. Use the SNAP PAC Learning Center to explore Opto 22's industrial controllers, reliable I/O, and full-featured automation software. Configure the I/O, develop a control program (called a *strategy*) to run on the SNAP PAC controller, and create an HMI (human-machine interface) for your PC. And then use the same hardware and software in your own industrial control, remote monitoring, or data acquisition application.

Developed in part as a response to the success of our free *Introduction to the SNAP PAC System* training program, the SNAP PAC Learning Center provides lessons applicable to any industrial or commercial application but tailored to this standalone system and its panel of input and output devices. With the learning center you get industrial automation software, controller and I/O, mounting rack, sample instruments, and self-guided training.

SNAP PAC Learning Center Guide

The content of our popular instructor-based training is now available in a self-paced, nine-lesson tutorial, which is included with the SNAP PAC Learning Center. Step-by-step instructions guide you in assembling your hardware, configuring your I/O unit and points, programming the SNAP PAC controller, and building a human-machine interface. Instruction is split into nine easily managed lessons. Each lesson targets a certain aspect of the system, such as configuration, flowcharts, scripting, analog points, and so on, and each lesson provides easy-to-find concept sections to review and apply what you have learned.



The course uses a learning scenario of a fictional convenience store, with digital input and output devices (lights and door contacts), and analog inputs and outputs (fuel sensors and displays).


Learning Center Software

The SNAP PAC Learning Center includes the PAC Project Basic software suite. Use this software with your system as part of the Learning Center or deployed in your application:

- **PAC Control Basic**—a graphical, flowchart-based programming tool for machine control and process applications. Includes subroutines plus a powerful scripting language for easy math, string handling, and control loops.
- **PAC Display Basic**—an intuitive HMI package for building operator interfaces for your Microsoft® Windows®-based clients communicating with PAC Project controllers. PAC Display includes advanced alarming, trending, and security as well as a built-in library of 3,000 industrial automation graphics.
- **PAC Manager**—a configuration and maintenance utility provided with the SNAP PAC System.

Part Numbers

Part	Description
SNAP-PACLC	SNAP PAC Learning Center, <i>SNAP PAC Learning Center Guide</i> (printed), and PAC Project 9.x software with PAC Project documentation in PDF format.

Placing Blocks:

Excerpt from the *SNAP PAC Learning Center Guide*—Numerous illustrations demonstrate procedures and describe concepts, so any computer user can succeed in this independent, self-guided course.

Learning Center Hardware

SNAP-PAC-R1

The SNAP-PAC-R1 programmable automation controller provides control, communication, and I/O processing in a compact, rack-mounted package. The SNAP-PAC-R1 runs the control strategy you build; interfaces with analog, digital, and serial modules; and communicates with the HMI and other networked computers. It has two, independent Ethernet network interfaces for network segmenting or Ethernet link redundancy.

Because this intelligent, flexible PAC can be used in several ways, it continues to be useful as your system grows and changes. The SNAP-PAC-R1 can provide complete cell control on its own rack with I/O modules, as it is used in the Learning Center. It can also control other SNAP PAC I/O units at the same time, as part of a larger system. Or the R1 can be used in a more extensive distributed control system as an I/O unit controlled by a SNAP PAC S-series standalone controller.

SNAP-PAC-RCK8 Mounting Rack

The SNAP-PAC-RCK8 rack mounts the controller and up to a total of eight SNAP digital, analog, and serial modules.

SNAP I/O Modules

- SNAP-IDC5D: Digital DC Input, 2.5–28 VDC, 5 VDC Logic
- SNAP-ODC5SRC: Digital DC Output, 5–60 VDC Source, 5 VDC Logic
- SNAP-AOV-27: Analog Output, Dual, -10 to +10 VDC
- SNAP-AICTD: Analog Input, Dual, ICTD Temperature
- SNAP-AIV: Analog Input, Dual, ± 10 or ± 5 VDC (configurable)

SNAP PAC Learning Center

Learning Center Load Panel

- Two toggle switches, two momentary switches, one SonAlert buzzer, three LEDs, one DC panel meter, one potentiometer, one temperature sensor

Accessories

- Power cable. Input voltage range for the Learning Center is 120–300 VAC. The appropriate power cable is included, based on your location (U.S., international, or UK); if you need to specify a different cable, please call Opto 22 at 800-321-6786 (toll-free in the U.S.) or 951-695-3000.
- Ethernet category 5 crossover cable

Computer Requirements

To use the SNAP PAC Learning Center with your PC, you must have the following minimum computer configuration:

- A computer with a standard or mainstream core processor and (at least) the minimum memory required for your version of Microsoft Windows. (Low-end CPUs are not recommended.) Additional memory may be required for some configurations.
- One of the following operating systems:
 - Microsoft Windows 10 Professional (32-bit or 64-bit)
 - Windows 8.1 Professional (32-bit or 64-bit)
 - Windows 7 Professional (32-bit or 64-bit)
 - Windows Vista® Business (32-bit only)

NOTE: PAC Project will not install on Windows XP or older Windows operating systems. Embedded operating systems are not tested or supported.

- Ethernet capability.
- VGA or higher resolution monitor (Super VGA recommended). Minimum size: 800x600 with small fonts.
- Mouse or other pointing device.
- (Optional) Installed Windows printer.
- At least 187 MB of available hard drive space

Learning Center Product Support

Opto 22's product support services are available to assist you with any problems relating to your work with the Learning Center. Call **(800) 832-6786** (toll-free in the U.S. and Canada) or **(951) 695-3080**, or email support@opto22.com.

More About Opto 22

Products

Opto 22 develops and manufactures reliable, easy-to-use, open standards-based hardware and software products deployed worldwide.

Industrial automation, process control, building automation, industrial refrigeration, remote monitoring, data acquisition, Industrial Internet of Things (IIoT), and information technology applications all rely on Opto 22.



groov

Monitor and control your equipment from anywhere using your smartphone or tablet with groov. Build your own mobile app easily—just drag, drop, and tag. No programming or coding. Visit groov.com for more information and your free trial.

SNAP PAC System

Developer- and IIoT-ready, the SNAP PAC System connects physical assets to databases and applications using open standards. The SNAP PAC System consists of four integrated components:

- SNAP PAC controllers
- PAC Project™ Software Suite
- SNAP PAC brains
- SNAP I/O™

SNAP PAC Controllers

SNAP PAC programmable automation controllers handle a wide range of digital, analog, and serial functions for data collection, remote monitoring, process control, and discrete and hybrid manufacturing.

For IIoT applications and easier integration with company systems, standalone and rack-mounted SNAP PACs include a built-in HTTP/HTTPS server and **RESTful API** (application program interface). The REST API gives you secure, direct access to I/O and variable data using your choice of programming languages. No middleware, protocol converters, drivers, or gateways needed.

Based on open Ethernet and Internet Protocol (IP) standards, SNAP PACs make it easier to build or extend a system without the expense and limitations of proprietary networks and protocols.

PAC Project Software Suite

Opto 22's PAC Project Software Suite offers full-featured, cost-effective control programming, HMI (human machine interface), OPC server, and database connectivity software.

Control programming includes both easy-to-learn flowcharts and optional scripting. Commands are in plain English; variables and I/O point names are fully descriptive.

PAC Project Basic offers control and HMI tools and is free for download on our website, www.opto22.com. PAC Project Professional, available for separate purchase, adds one SoftPAC software-based controller, OptoOPCServer, OptoDataLink, options for controller redundancy or segmented networking, and support for legacy Opto 22 serial *mistic*™ I/O units.

SNAP PAC Brains

While SNAP PAC controllers provide central control and data distribution, SNAP PAC brains provide distributed intelligence for I/O processing and communications. Brains offer analog, digital, and serial functions, including thermocouple linearization, local PID loop control, watchdog, totalizing, and much more.

SNAP I/O

I/O provides the local connection to sensors and equipment. Opto 22 SNAP I/O offers 1 to 32 points of reliable I/O per module. Analog, digital, and serial modules are mixed on one mounting rack and controlled by a SNAP PAC brain or rack-mounted PAC.

Quality

Founded in 1974, Opto 22 has established a worldwide reputation for high-quality products. All are made in the U.S.A. at our manufacturing facility in Temecula, California.

Because we test each product twice before it leaves our factory, rather than only testing a sample of each batch, we can guarantee most solid-state relays and optically isolated I/O modules for life.

Free Product Support

Opto 22's California-based Product Support Group offers free, comprehensive technical support for Opto 22 products from engineers with decades of training and experience. Support is available in English and Spanish by phone or email, Monday–Friday, 7 a.m. to 5 p.m. PST.

Additional support is always available on our website: how-to videos, OptoKnowledgeBase, self-training guide, troubleshooting and user's guides, and OptoForums.

In addition, hands-on training is available for free at our Temecula, California headquarters, and you can [register online](#).

Purchasing Opto 22 Products

Opto 22 products are sold directly and through a worldwide network of distributors, partners, and system integrators. For more information, contact Opto 22 headquarters at 800-321-6786 (toll-free in the U.S. and Canada) or 951-695-3000, or visit our website at www.opto22.com.

{RESTful API}



www.opto22.com

www.opto22.com • Opto 22 • 43044 Business Park Drive • Temecula, CA 92590-3614 • Form 1335-160810
SALES 800-321-6786 • 951-695-3000 • FAX 951-695-3095 • sales@opto22.com • SUPPORT 800-835-6786 • 951-695-3080 • FAX 951-695-3017 • support@opto22.com

© 2013–2016 Opto 22. All rights reserved. Dimensions and specifications are subject to change. Brand or product names used herein are trademarks or registered trademarks of their respective companies or organizations.